





Car wash mat, also known as PVC car wash containment mat, is composed of high-strength base cloth and PVC. The substrate provides high tear strength and tensile strength. The PVC layer is waterproof and wear-resistant, and can contain the sewage during vehicle cleaning to avoid environmental pollution.

When used flat on the ground, it can be applied after inflation, suitable for outdoor, car wash, garage, and commercial parking area. Reusable, easy to clean, and has good economic value.





Professional sales team, over 15 years experience in producing PVC Greenhouse Fabric, Over 10 years OEM&ODM finished product experience, we are a factory produces pvc tarpulin in Haining, The greatest feature of our Tarp for PVC Greenhouse Fabric is stable and durable quality.

# Welcome to OURFACTORY





You can get the reasonable price with best quality here.



			650gsm	680gsm	750gsm
Properties	Units	Test method	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	1000D*1000D	1000D*1000D	1000D*1000D PANAMA
Base Fabric Density	Thread/inch	DIN53351	20*20	9*9	30*30
Finished Fabric Weight	Gram/m2	DIN53352	650	680	750
Base Fabric Weight	Gram/m2	DIN53352	175	88	265
Thickness – finished product	um	DIN53352	52	50	65
Break Strength Warp	N/5cm	GB/T1040	2500	1200	4000
Break Strength Weft	N/5cm	GB/T1040	2200	1000	3800
Tear Strength Warp	N/5cm	DIN 53363	280	250	800
Tear Strength Weft	N/5cm	DIN 53363	250	200	700
Adhension	N/5cm	DIN 53357	90	120	120
Temperature range	C	DIN 53368	-30~+70°C	–40~+70°C	–30~+70°C
Fire Retardant		Self- extinguishing	M1		ONE SIDE COATED



### ► Anti-static:

fabri is completely anti-static, this is very important for safety, all purchasing German production equipment, anti-static level is 10E7.

#### Long lifetime:

Produced by coating or coating process, the product structure is stable, quality is stable, with strong durability, to ensure economic returns, the product has a very good service life, over 10 years.

#### Recyclable:

PVC Tarpaulin all substances are degradable, including the production of auxiliary materials, and it is no harmful substances, fully recyclable.

## ► Weldable:

Laminated coated fabrics and coating coated fabrics are two layers of PVC film laminated on top of the base cloth in the center, both top and bottom surfaces are PVC layer, so it is very easy to weld, we usually use hot air welding and high frequency welding machine to weld firmly with very good results.





Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196 WhatsApp: 0086 13625863196

Add: No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail: bill@gstarp.com WEB: www.gstarp.com