
PVC Waterproof Tarpaulin - Factory Wholesale





PVC Waterproof Tarpaulin - Factory Wholesale







Super Tear Resistance



Good tensile strength







Super strong adhesion



Flame retardant

PVC tarpaulin popular tyes and specification

polyester	fabric	weight(g/sqm)	width (m)
1000D*1000I	30*30	750	0.5-5.1
1000D*1000I	20*20	680	0.5-5.1
1000D*1000I	20*20	650	0.5-5.1
1000D*1000I	20*20	610	0.5 - 5.1
1000D*1000I	9*9	580	0.5 - 5.1
1000D*1000I	18*18	550	0.5 - 5.1
500D*840D		450	0.5 - 5.1
200D*500D	18*12	340	0.5 - 5.1
1000*1000D	30*30	1050	1.6-3.45
1000*1000D	30*30	900	1.6-3.45
1000*1000D	23*23	850	1.6-5.1
1000*1000D	23*23	750	1.6-5.1
1000*1000D	20*20	680	1.6-5.1
1000*1000D	20*20	650	1.6-5.1
1000*1000D	20*20	700	1.6-5.1
1000*1000D	20*20	610	1.6-5.1
1500*1500D	30*30Panama	1350	1.6-3.45
1500*1500D	30*30Panama	1250	1.6-3.45
1000*1000D	30*30Panama	1050	1.6-3.45
1000*1000D	23*23	850	1.6-3.45
1000*1000D	20*20	650	1.6-3.45
1000*1000D	20*20	610	1.6-3.45

PVC Waterproof Tarpaulin - Factory Wholesale

waterproof tarpaulin Available Worldwide

PVC waterproof tarpaulin is a high-performance material widely used in various industries, offering excellent waterproofing, durability, and versatility. It is commonly used for rain protection at construction sites, cargo transportation protection, grain covering in agriculture, livestock shelter roofs, tents for outdoor activities, and dust and moisture protection in industrial storage.

PVC waterproof tarpaulin is applied across industries and daily life, being a highly durable material with waterproof and multifunctional qualities. It is widely used for covering, transportation, agriculture, construction, farming, tents, storage, etc., offering great flexibility and cost-effectiveness.

Typically made from high-strength polyester, cotton, or nylon as the base material, the surface is coated with PVC or TPU, forming a high-strength waterproof material with excellent tear resistance and UV protection. It is suitable for a wide range of harsh environments, offering superb stability and both heat and cold resistance.

Various waterproof tarpaulins with different functions can be chosen based on different scenarios, available in a wide range of colors and very convenient for printing.

waterproof tarpaulin Applications Available Worldwide

- ⋆PVC truck tarps
- ⋆PVC tent fabric
- **★PVC Strip Fence**
- ⋆PVC Tarpaulin for Inflatable
- *Swimming Pool PVC Tarpaulin
- ⋆ Medical Tarp/Healthcare Fabric
- **★PVC Sport Material**
- ⋆ PVC Car Wash Mat
- ⋆PVC Industry Tarpaulin
- * PVC Bag Fabrics
- ⋆ Embossed Vinyl Fabric
- ⋆ Water Tank Fabric
- ⋆PVC Printed Tarps
- ⋆ PVC Breed Tarpaulin
- * Agricultural PVC Products
- *Sound Barrier
- *Sun Protect&Sunshade
- * Finish Product OEM







Lumber tarps--Factory Wholesale





Super Tear Resistance: GSTRP UES the high mesh density polyester fabrics and compilation fabrics, via the production process of coated or knife coated, add a variety of additives, including but not limited to stabilizers, plasticizers, fire retardants, etc., so that the tarpaulin has a very strong tear resistance, tear strength can reach 400N / square meter.

Tensile strength: The key to tensile strength lies in the choice of polyester fabric and woven fabric, while the density and diameter of the warp and weft threads are very important. Our products have good tensile strength, which is an important indicator of product quality, and the tensile strength can reach 6000N/square meter

Strong adhesion:By means of strict product formulation, increase the molecular penetration of the coating and the base in the process, make the filme and the coating combined. The molecular bond in the middle of the formation of a one-piece, become a unit, after thousands of times of folding, ensuring that the surface layer and the base cloth will not fall off, tear strength can reach 150N/square meter

Flame retardance: GSTARP is manufactured with the highest quality flame retardants, although the highest grades are expensive, which ensure that the product is flame retardant, self-extinguishing when removed from the flame.

Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196 WhatsApp: 0086 13625863196

Add: No.365 West Qianjiang Road, Haining, Zhejiang, China

e-mail: bill@gstarp.com

WEB: www.gstarp.com