
PVC sound barrier tarpaulin Available Worldwide





PVC sound barrier tarpaulin are also called PVC tarpaulin curtains or pvc curtain wall,made by pvc fabric or clear pvc fabric,Widly used indoors in various stadiums and sport centers, etc. It's also widely used in outdoor porches, supermarkets, bars, restaurants and so on. There are mainly divided into three kinds: transparent, opaque and composite of transparent and opaque. It can be used well to control industrial noise, construction noise, traffic noise and social noise, etc., to reduce the noise level, it can withstand, wind, rain and low temperature to provide a comfortable space to avoid outside disturbance.


Three types: Transparent, opaque, and combinations of transparency and opacity

Control industrial noise, construction noise, traffic noise, and social noise

PVC sound barrier tarpaulin Available Worldwide



GSTRP is a professional factory produces PVC sound barrier tarpaulin with over 15 years of experience. Our products are sold to more than 150 countries around the world. We can produce PVC sound barrier tarpaulin with weights ranging from 550g to 1050g, with a maximum width of 5.1 meters. We can produce any color according to RAL, PANTONE, or sample., Width and length can also be made according to customer requirements.



Professional sales team, Over 10 years OEM&ODM finished product experience, Gemeny production lines, Automatic computer colour meching system, Advanced inspection process, Imported pvc resin, Can deliver what exactly client need.





Features of PVC sound barrier Tarpaulin





Aging preventing

PVC fabric production process is advanced, FILE and and basically formed a stable structure, stable polymer compounds making it not prone to be eroded, the surface of the special treatment, there is a very good anti–aging effect, can be used for 10–15 years.



Dimensional stability

PVC fabric production process is advanced, FILE and and basically formed a stable structure, stable polymer compounds making it not prone to be eroded, the surface of the special treatment, there is a very good anti–aging effect, can be used for 10–15 years.



Odorless

The PVC is made of high purity PVC raw materials, all auxiliary materials are also environmentally friendly, as a professional PVC production and manufacturing plant, the product has no odor at all. And with anti–mold function, there is no odor during the use.



Self-cleaning

surface treatment, acrylic or PVDF, the surface is very smooth, dust or other dirt is difficult to adhere to it, with good self-cleaning.



Easy to clean

fabrici is very soft, smooth surface, chemically stable and very easy to clean. It can be cleaned with warm or cold water.









PVC sound barrier tarpaulin Available Worldwide.







Very soft and smooth



chemically stable



Very easy to clean



It can be cleaned with warm or cold water.















PVC sound barrier tarpaulin



			550gsm	610gsm	900gsm	1050gsm
Properties	Units	Test method	Average value	Average value	Average value	Average value
Base Thread Density	Denier	DIN53350	1000D*1000D	1000D*1000D	1000D*1000D	1000D*1000D
Base Fabric Density	Thread/inch	DIN53351	18*18	14*14	28*26	30*30 Panama
Finished Fabric Weight	Gram/m²	DIN53352	550	610	900	1050
Base Fabric Weight	Gram/m²	DIN53352	157	125	236	265
Thickness – finished product	um	DIN53352	42	52	72	80
Break Strength Warp	N/5cm	GB/T1040	2000	1800	3500	4200
Break Strength Weft	N/5cm	GB/T1040	1800	1600	3300	4000
Tear Strength Warp	N/5cm	DIN 53363	220	200	500	600
Tear Strength Weft	N/5cm	DIN 53363	200	180	450	550
Adhension	N/5cm	DIN 53357	120	80	120	120
Temperature range	°C	DIN 53368	-30~+70°C	-30~+70°C	–30~+70°C	-30~+70°C
Flame retardancy		Self- extinguishing			Top side	Both sides lacquring

Jiaxing Green Shield New Materials Co., Ltd

Mobile: 0086 13625863196 WhatsApp: 0086 13625863196

Add: No.365 West Qianjiang Road, Haining, Zhejiang, China e-mail: bill@gstarp.com WEB: www.gstarp.com